





WORKSHOP EQUIPMENT

TOOL TROLLEYS

› 016



ACCESSORIES

TOOL TROLLEYS

› 025



WORKBENCHES

› 026



ACCESSORIES

WORKBENCHES

› 034



FOLDING

WORKBENCH

› 034



USEFUL HELPERS FOR

TOOL TROLLEYS/
WORKBENCHES

› 035



TOOL CABINETS

› 036



TOOL HOLDERS/ TOOL HOOKS

› 037



WORKMO

› 042




GEDORE WORKSHOP FURNITURE

Intelligently designed - dependable under extreme use



Best-possible quality for the highest demands placed


- › Use of the most up-to-date machinery and environmentally-friendly production processes
- › The basis is tightly-controlled and choice sheet steel
- › Experienced and reliable specialists vouch for precision-like processing
- › Stringent quality checks after each production step ensure a constantly high level
- › Best-possible industrial quality for those extreme levels of constant use and conditions subjected to
- › Professional service up to the development of special customised tools
- › Vertical and horizontal forces are calculated with precision
- › Unloaded weight optimisation from a finely-tuned material input
- › Robust, stable 0.88 mm thick sheet steel structure, supporting elements of a 1.00 mm metal thickness, a 2.00 mm metal thickness for the heavy-duty chassis
- › Precision spot welding ensures components stay permanently fixed
- › Tool trolleys have it all with their special GEDORE chassis and GEDORE heavy-duty wheels
- › Durable and highly resilient with stability of the highest-order



Form and function perfection

- › Whether mobile or stationary: indispensable aids, in fact, for the rough-and-ready of workshop routine
- › Extremely robust, scratch and impact-resistant, corrosion-proof and easy to care for
- › Durable and highly resilient with stability of the highest-order
- › Numerous models to reflect use and individual requirements
- › Varied, optional accessories available for flexibly extending all the basic models
- › Specific colours (RAL) and outfits on request

GEDORE INDIVIDUAL PRECISE – CUSTOMISED



Tidy look, uncluttered and
always at hand

- › Ready to be used straight after delivery:
simply unpack and screw on the manoeuvring handle
- › Whether a mobile or stationary guardian of tidiness:
each tool has its own place here
- › Modular arrangement systems make daily routine that much easier
(visual check/tool missing)
- › Compact tool assortments make selection easier
- › Customised equipment/tool sets in module systems and/or trolleys/
benches in company design/colours

Why not create your perfection in tool
orderliness in line with corporate design
requests and your process specifications -
We look forward to hearing from you!



THE GEDORE TROLLEY



Load capacity

- > The load capacity of the drawers is 40 kg
- > Models 2004*, 2005, 1502, 1504*, 1504 XL, 1506 XL: The bottom drawer is designed as heavy-duty drawer, load capacity 60 kg
- > * apart from 2004 1000, 1504 1000

Ball-bearing drawer slides

- > The ball-bearing drawer slides ensure safe and easy sliding of the drawers, even when loaded to full capacity



Individual drawer locking

- > In addition to the central locking, each drawer has its own separate latch to prevent unwanted opening, when being moved
- > The latch is automatically released by a tilting bar when the drawer is opened
- > The single latch automatically engages when the drawer closes
- > When marked with "E" the drawers are delivered with individual drawer blocking



Central locking

- > One central lock for all drawers and doors
- > Safe and easy handling



Square perforation 10 x 38 mm

- > The square perforation in the side walls enable quick access to frequently used tools
- > GEDORE holders and trays are simply clipped in

Smooth running wheel

- > Precision ball bearing

Heel protection

- > All-round heel protection by rounded edges on the underside allows the tool trolley or workbench to be safely pulled or pushed

Powder coating

- > This coating method guarantees a high level of corrosion protection, combined with tough scratch resistance
- > Special colours available on request

High-performance wheel

- > High load capacity
- > Tyres made from solid rubber
- > Roller bearing
- > Resistant to abrasion

Impact protection

- > The vertical impact protection protects the tool trolley and anything it comes into contact with from damage
- > It also protects other equipment in the workshop or vehicles from inadvertent contact

Total brake

- > Prevents unwanted movement and turning of the wheel
- > Ensures safe parking of the tool trolley or workbench



Tool Trolleys

2005 TOOL TROLLEY

Body:

- > Dimensions: H 985 x W 775 x D 475 mm
- > Working platform in ABS, with 3 compartments for small parts
- > With handle for easy pushing, pulling and turning
- > Side walls with Euro perforation 10 x 38 mm to fix hooks and tools
- > Heel and impact protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking with cylinder lock
- > Wide drawers (W 640 x D 400 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:

- > Total load capacity 500 kg
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > The GEDORE axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:


- > Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT or 2005 CT)
- > Optionally extendable with GEDORE tool chests, rear panels and tool holders
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories



2005 0511



2004 HP

>25



1500 ES/1500 CT >98/105



2005 VARIANTS



No.	2005 0511	2005 0511 E	2005 0321
	7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	6 drawers: 3x type 1, H = 67 mm 2x type 2, H = 137 mm 1x type 3, H = 207 mm
H	985	985	985
W	775	775	775
D	475	475	475
LD	10x	10x	6x
CD	2x	2x	2x
	93.0	93.0	89.0
Code	1803018	2827379	2003546



No.	2005 0701	2005 0810
	8 drawers: 7x type 1, H = 67 mm 1x type 3, H = 207 mm	9 drawers: 8x type 1, H = 67 mm 1x type 2, H = 137 mm
H	985	985
W	775	775
D	475	475
LD	10x	15x
CD	2x	3x
	92.0	99.0
Code	2003554	2003562

2430

»24





R 2004 L

»25



RT 2004 L

»25

SL 2013 / SL 3014 / SL 1912 /
SL 1916 »175/191/218

2004 TOOL TROLLEY

Body:

- > Dimensions: H 985 x W 775 x D 475 mm
- > Working platform in ABS, with 3 compartments for small parts
- > Storage compartment with perforated sheet (Euro perforation 10 x 38 mm), two removable drawers for small parts and door on the handle side
- > With handle for easy pushing, pulling and turning
- > Front side with Euro perforation 10 x 38 mm to fix hooks and tools
- > Heel and impact protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer and storage compartment with safety locking, single-hand operation
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg (apart from 2004 1000)
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:

- > Total load capacity 500 kg
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), both with total brake
- > The GEDORE axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:


- > Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:


- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Optionally extendable with GEDORE tool chests, rear panels and tool holders
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories



2004 0131



2004 0321





2004 VARIANTS




No.	2004 0131	2004 0321	2004 0511	2004 0511 E
	5 drawers: 1x type 1, H = 67 mm 3x type 2, H = 137 mm 1x type 3, H = 207 mm	6 drawers: 3x type 1, H = 67 mm 2x type 2, H = 137 mm 1x type 3, H = 207 mm	7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm
H	985	985	985	985
W	775	775	775	775
D	475	475	475	475
LD	3x	6x	10x	10x
CD	2x	2x	2x	2x
	75.0	82.0	84.0	84.0
Code	1640763	1640755	1640739	2827360




No.	2004 0701	2004 0620	2004 0810	2004 1000
	8 drawers: 7x type 1, H = 67 mm 1x type 3, H = 207 mm	8 drawers: 6x type 1, H = 67 mm 2x type 2, H = 137 mm	9 drawers: 8x type 1, H = 67 mm 1x type 2, H = 137 mm	10 drawers: 10x type 1, H = 67 mm
H	985	985	985	985
W	775	775	775	775
D	475	475	475	475
LD	10x	10x	15x	15x
CD	2x	2x	3x	3x
	86.0	88.0	91.0	94.0
Code	1640712	1640720	1640704	1640690


2004 0511




2004 0620




2004 0701



2004 0810



2004 1000



WSL-L7

TOOL TROLLEY WORKSTER SMARTLINE

with 7 drawers

Body:

- > Dimensions: H 1045 x W 785 x D 510 mm
- > Working platform with PP top with front flattening, anti-roll safety edge and small additional trays
- > With handle for easy pushing, pulling and turning
- > Side walls with Euro perforation 10 x 38 mm to fix hooks and tools
- > Sides rounded off – a minimum of abutting edges
- > Welded sheet steel construction, torsionally rigid, to take high loadings
- > Sheet steel, corrosion resistant and scratch-proof powder-coated

Drawers:

- > **Individual blocking** only one drawer can be open at a time, single-hand operation
- > Central locking with cylinder lock
- > 7 wide drawers (W 640 x D 400 mm) fully extendable
- > Ball-bearing guide rails
- > Load capacity per drawer 20 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated

GEDORE Chassis

- > Total load capacity 400 kg
- > 4 smooth running wheels on ball bearings (swivel castors Ø 125 mm), one with total brake
- > Even with maximum loads: still smooth running, manoeuvrable and keeps to the track

Options:

- > Can be equipped with GEDORE tool modules (1500 ES, 1500 CT, 2005 CT, TS-147, TS-190, TS-308)
- > Can be individually equipped with lengthwise and crosswise dividers
- > Special colours and designs available on request
- > Delivery without tools and accessories



	H	W	D		Code	No.
7 drawers:	1045	785	510	81.0	2977311	WSL-L7
5x type 1, H = 80 mm						
2x type 2, H = 162.5 mm						



2525-520 TOOL TROLLEY

with 7 drawers

Body:

- > Dimensions: H 965 x W 720 x D 395 mm
- > Working platform in ABS, with 3 compartments for small parts
- > Storage compartment with perforated sheet (square perforation 10 x 38 mm) on the handle side
- > With handle for easy pushing, pulling and turning
- > 1 side wall with Euro perforation 10 x 38 mm to fix hooks and tools
- > All-round heel and impact protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking with cylinder lock
- > 5 wide drawers (W 480 x D 325 x H 75 mm) fully extendable
- > 2 large capacity drawers (W 480 x D 325 x H 120 mm) fully extendable, for bulky parts
- > Individual drawer locking, single-hand operation
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually, not for the large capacity drawers)
- > Load capacity per drawer 40 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:


- > Total load capacity 330 kg
- > 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- > 10-piece hook assortment
- > 8 length- (LD) and 2 crosswise (CD) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Special colours and designs available on request
- > Delivery without tools and accessories



H	W	D	LD	CD		Code	No.
965	720	395	8x	2x	67.0	1587102	2525-520

1580
TOOL TROLLEY

with 4 drawers

Body:

- › Dimensions: H 930 x W 625 x D 400 mm
- › Double sided metal shutters to secure the whole internal space
- › Working platform with ABS top
- › With handle for easy pushing, pulling and turning
- › Side walls with Euro perforation 10 x 38 mm to fix hooks and tools
- › All-round heel and impact protection for your safety
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- Central locking with cylinder lock
- 4 wide drawers (W 480 x D 325 x H 45 mm), all drawers open either side
- 1 deep storage at base
- Ball-bearing guide rails, with middle and end catches
- Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- Load capacity per drawer 20 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE Chassis


- Total load capacity 300 kg
- 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 8 length- (LD) and 2 crosswise (CD) dividers from zinc-plated sheet steel

Options:

- › Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- › Optionally extendable with GEDORE tool chest 1430
- › Special colours and designs available on request
- › Delivery without tools and accessories



H	W	D	LD	CD		Code	No.
930	625	400	8x	2x	40.0	6627550	1580



1578 TOOL TROLLEY

with 6 drawers

Body:

- > Dimensions: H 930 x W 605 x D 375 mm
- > Working platform in ABS, with 3 compartments for small parts
- > With handle for easy pushing, pulling and turning
- > Heel protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking with cylinder lock
- > 4 wide drawers (W 480 x D 325 x H 75 mm)
- > 1 wide drawer (W 480 x D 325 x H 120 mm)
- > 1 wide drawer (W 480 x D 325 x H 210 mm)
- > All drawers open either side
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 20 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE Chassis


- > Total load capacity 200 kg
- > 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- > 6 length- (LD) and 2 crosswise (CD) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Special colours and designs available on request
- > Delivery without tools and accessories



H	W	D	LD	CD		Code	No.
930	605	375	6x	2x	43.5	9018140	1578

Top Tool Chests

Suitable for all GEDORE tool trolleys with a work surface of W 625 x D 400 mm
 Drawers fully extendable
 Supplied with length- and crosswise dividers
 Delivery without tools

1430 TOOL CHEST

› Designed particularly as top box for trolley 1580

Body:

- › Dimensions: H 305 x W 625 x D 400 mm
- › ABS top
- › Heel and impact protection for your safety
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:


- › Central locking with cylinder lock
- › 3 wide drawers (W 480 x D 325 mm) fully extendable, removable
- › Each drawer with safety locking, single-hand operation
- › Ball-bearing guide rails
- › Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- › Load capacity per drawer 40 kg
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Accessories:

- › 6 length- (LD) and 2 crosswise dividers (CD) in zinc-plated sheet steel

Options:

- › Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- › Special colours and designs available on request
- › Delivery without tools and accessories



H	W	D	LD	CD		Code	No.
305	625	400	6x	2x	26.0	6618130	1430

2430 TOOL CHEST

Body:

- › Dimensions: H 345 x W 775 x D 475 mm
- › Working platform in ABS with 3 compartments for small parts
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- › Central locking with cylinder lock
- › Wide drawers (W 640 x D 400 x H 67 mm) fully extendable, removable
- › Each drawer with safety locking, single-hand operation
- › Ball-bearing guide rails
- › Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- › Load capacity per drawer 40 kg
- › Sheet steel, corrosion- and scratch-resistant powder-coated, GEDORE blue

Use:



- › Designed particularly as top box for trolleys 2004, 2005

Accessories:

- › 6 length- (LD) and 2 crosswise dividers (CD) in zinc-plated sheet steel

Options:

- › Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- › Safe locking drawers on request



H	W	D	LD	CD		Code	No.
345	775	475	6x	2x	34.0	1888927	2430



Accessories Tool Trolleys

2004 HP WOOD PLATE


- › To fit in the plastic top, 30 mm thick, to get an additional work surface
- › Multiplex beech wood
- › For tool trolleys 2004 and 2005 and tool chest 2430
- › No. 2004 HP until 03/2014 for depth 435 mm, no. 2004 HP-14 as from 04/2014, for depth 475 mm



W	D	mm	Execution		Code	No.
590	410	30	until 03/2014	5.0	1446967	2004 HP
563	409	30	as from 04/2014	5.0	2879883	2004 HP-14

R 2004 L REAR PANEL

- › Automatically raised by two gas springs
- › Neat arrangement of tools on square perforation 10 x 38 mm
- › The complete loaded rear wall can be simply lowered
- › Central locking with cylinder lock
- › Can be attached to 2004, 2005
- › Delivery without tools



H	W	D		Code	No.
768	770	116	25.0	1446169	R 2004 L

RT 2004 L REAR PANEL BOARD

- › Square perforation 10 x 38 mm
- › Can be attached to 2004 and 2005 (as well as old models 2002 and 2003)



H	W	D		Code	No.
715	765	30	11.0	2663104	RT 2004 L

1500 H 13 ANTI-SLIP MAT

Products sold by the metre

- › For all drawers in GEDORE tool trolleys and workbenches
- › Various areas of application: Workshop, household, car, spare time...
- › Enormous slip resistance on many different surfaces
- › Can be cut to size
- › Resistant to temperatures from -30 °C to +100 °C
- › Melting point approx. +250 °C
- › Flame resistant
- › Resistant to chemicals
- › Shock- and noise absorbing
- › Dimensions: W 475 x L 2000 mm



L m	W		Code	No.
2	475	0.540	5790250	1500 H 13

Workbenches

1505 MOBILE WORKBENCH

Body:

- › Dimensions: H 900 x W 1100 x D 652 mm
- › 40 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- › Large usable storage space with shelf and door
- › Easy, safe movement with pull handle
- › Heel protection for your safety
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- › Central locking with cylinder lock
- › 5 wide drawers (W 480 x D 550 mm), extendable up to 505 mm, removeable
- › Each drawer with safety locking, single-hand operation
- › Ball-bearing guide rails
- › Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- › Load capacity per drawer 40 kg
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE Jumbo heavy-duty chassis:


- › Total load capacity 2000 kg, 500 kg when mobile
- › 4 GEDORE wheels on roller bearings with independent wheel suspension
- › Absolutely stable standing when lowered
- › Mobile due to hydraulic raising mechanism, just lift the pull handle
- › High floor clearance

Accessories:

- › 9 length- (LT) and 9 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- › Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- › Rear panel R 1504 L can be added
- › Delivery without tools and accessories
- › Special colours and designs available on request



Description	H	W	D	mm	LD	CD	kg	Code	No.
Mobile workbench	900	1100	652	40	9x	9x	138.0	6621780	1505
Mobile workbench with vice	900	1100	652	40	9x	9x	156.5	6621860	1505 S

R 1504 XL-L

›34



411

›554





1506 XL

MOBILE WORKBENCH EXTRA WIDTH

Body:

- > Dimensions: H 985 x W 1250 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > With two similar drawer blocks
- > Heel protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawers 60 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:

- > Total load capacity 700 kg, 500 kg when mobile
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- > 4 distance modules No. 1500 ED-70 K
- > Length- (LT) and crosswise (QT) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Rear panel R 1504 XL-L can be added
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories




1506 XL

VARIANTS




No.	1506 XL 2511	1506 XL 2810
	14 drawers: 10x type 1, H = 67 mm 2x type 2, H = 137 mm 2x type 3, H = 207 mm	18 drawers: 16x type 1, H = 67 mm 2x type 2, H = 137 mm
H	985	985
W	1250	1250
D	550	550
mm	30	30
LD	15x	15x
CD	3x	3x
	140.0	150.0
Code	2528088	2528096

1506 XL 2511



1506 XL 2810



1504

MOBILE WORKBENCH

Body:

- > Dimensions: H 985 x W 1100 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large storage space with shelf and door
- > Heel protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg (apart from no. 1504 1000)
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:


- > Total load capacity 700 kg, 500 kg when mobile
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- > 4 distance modules no. 1500 ED-70 K
- > Length- (LT) and crosswise (QT) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Rear panel no. R 1504 L or RT 1504 L can be added
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories





1504

VARIANTS




Code	6622830	6623050	1814958
	7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	6 drawers: 3x type 1, H = 67 mm 2x type 2, H = 137 mm 1x type 3, H = 207 mm
Description	Mobile workbench with 7 drawers	Mobile workbench with 7 drawers and vice	Mobile workbench with 6 drawers
H	985	985	985
W	1100	1100	1100
D	550	550	550
LD	10x	10x	6x
CD	2x	2x	2x
	103.0	112.5	96.0
No.	1504 0511	1504 0511 S	1504 0321




Code	1814931	1814923	1814915
	8 drawers: 7x type 1, H = 67 mm 1x type 3, H = 207 mm	9 drawers: 8x type 1, H = 67 mm 1x type 2, H = 137 mm	10 drawers: 10x type 1, H = 67 mm
Description	Mobile workbench with 8 drawers	Mobile workbench with 9 drawers	Mobile workbench with 10 drawers
H	985	985	985
W	1100	1100	1100
D	550	550	550
LD	10x	15x	15x
CD	2x	3x	3x
	99.0	106.0	110.0
No.	1504 0701	1504 0810	1504 1000


1504 0511 + 1504 0511 S




1504 0321




1504 0701



1504 0810



1504 1000



1504 XL

MOBILE WORKBENCH EXTRA WIDTH

Body:

- › Dimensions: H 985 x W 1250 x D 550 mm
- › 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- › Large usable storage space with shelf and door
- › Heel protection for your safety
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- › Central locking with cylinder lock
- › 1 XL drawer (W 1055 x D 400), 6 wide drawers (W 640 x D 400 mm) fully extendable, removable
- › Each drawer with safety locking, single-hand operation
- › Ball-bearing guide rails
- › Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- › Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:

- › Total load capacity 700 kg, 500 kg when mobile
- › 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- › 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- › The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:


- › 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- › Can be equipped with GEDORE tool modules (1500 ES/1500 CT or 2005 CT)
- › Rear panel R 1504 XL-L can be added
- › Further drawer combinations on request
- › Special colours and designs available on request
- › Delivery without tools and accessories



H	W	D	mm		Code	No.
985	1250	550	30	120.0	1988468	1504 XL



SL 2013 / SL 3014 / SL 1912 / SL 1916 ›175/191/218





BR 1504

MOBILE WORKBENCH

with self raising rear panel

Body:

- > Dimensions: H 985 x W 1100 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > With rear panel, square perforation 10 x 38 mm to fix hooks and tools, with lowering mechanism, can be raised by 2 gas springs
- > Heel protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:


- > Total load capacity 700 kg, 500 kg when mobile
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- > 2 distance modules No. 1500 ED-70 K
- > 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories



Description	H	W	D	mm	LD	CD		Code	No.
Workbench with rear panel	985	1100	550	30	10x	2x	128.0	6624450	BR 1504 0511 L
Workbench with rear panel + hook assortment	985	1100	550	30	10x	2x	130.0	6623990	BR 1504 0511 LH
Workbench with rear panel + vice	985	1100	550	30	10x	2x	142.5	6624370	BR 1504 0511 S

411

>554



1500 ES / 1500 CT

>98/105



BR 1500 LH

WORKBENCH WITH TOOL CABINET

Body workbench:

- › Dimensions: H 900 x W 2000 x D 875 mm
- › 40 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- › Large storage space with shutter
- › Heel protection for your safety
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Body cabinet:

- › Dimensions: H 890 x W 1810 x D 170 mm
- › Shutter with cylinder lock
- › Rear panel with square perforation 10 x 38 mm to fix hooks and tools
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- › Shutter from sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers workbench:




- › Separate central locking of drawers and shutter with cylinder locks
- › 5 wide drawers (W 480 x D 550 mm), extendable up to 505 mm, removeable
- › Ball-bearing guide rails
- › Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- › Load capacity per drawer 40 kg
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- › Total load capacity (workbench) 2000 kg

Accessories:

- › 85-piece hook assortment 1500 HS 23
- › 9 length- (LT) and 9 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- › Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- › Special colours and designs available on request
- › Delivery without tools and accessories



BR 1500

VARIANTS



No.	BR 1500 LH	B 1500 L	R 1500 L
Description	Workbench with tool cabinet	Workbench without tool cabinet	Tool cabinet with blind, empty
H	1790	900	890
W	2000	2000	1810
D	875	875	170
mm	40	40	
LD	9x	9x	
CD	9x	9x	
kg	203.7	166.0	78.0
Code	6618210	6618050	6617910



1502

MOBILE WORKBENCH

Body:

- > Dimensions: H 875 x W 950 x D 550 mm
- > 25 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large, easily-accessible spaces for bulky parts
- > Heel protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking with cylinder lock
- > 6 wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:


- > Total load capacity 700 kg, 500 kg when mobile
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- > 2 distance modules No. 1500 ED-70 K
- > 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Special colours and designs available on request
- > Delivery without tools and accessories



Description	H	W	D	mm	LD	CD		Code	No.
Mobile workbench	870	950	550	25	10x	2x	78.0	6620540	1502
Mobile workbench with vice	870	950	550	25	10x	2x	85.0	6620620	1502 S

Folding workbench


B 1525 FOLDING WORKBENCH

Body:

- › Dimensions: H 810/140 x W 1000 x D 700 mm
- › Strong beech wood worktop with zinc-plated steel edge protector - corrosion resistant
- › Stable folding, space-saving and mobile

GEDORE Base:

- › Total load capacity 500 kg
- › Steel tube, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- › Delivery without tools and accessories




H	W	D	mm	kg	Code	No.
810	1000	700	30	32.0	6622910	B 1525

Accessories for Workbenches

R 1504 L REAR PANEL

- › Can be attached to workbench 1504 or 1505
- › Automatically raised by two gas springs, lockable with cylinder lock
- › Neat arrangement of tools
- › Square perforation 10 x 38 mm
- › Dimensions: H 640 x W 1000 x D 70 mm
- › GEDORE blue
- › Execution LH with hook assortment No. 1504 HS



Description	H	W	D	kg	Code	No.
Rear panel empty	640	1000	70	28.0	6623800	R 1504 L
Rear panel empty with hook assortment	640	1000	70	30.0	6624020	R 1504 LH

R 1504 XL-L REAR PANEL

- › Can be attached to workbench 1504 XL, 1506 XL
- › Automatically raised by two gas springs, lockable with cylinder lock
- › Neat arrangement of tools
- › Square perforation 10 x 38 mm
- › Dimensions: H 640 x W 1190 x D 70 mm
- › GEDORE blue
- › Execution LH with hook assortment No. 1504 HS



Description	H	W	D	kg	Code	No.
Rear panel empty	640	1190	70	29.0	2251787	R 1504 XL-L
Rear panel empty with hook assortment	640	1190	70	31.0	2251795	R 1504 XL-LH

RT 1504 L REAR PANEL BOARD

- › Can be attached to workbenches 1504 and 1505
- › Square perforation 10 x 38 mm
- › GEDORE blue
- › Including attachment material



H	W	D	kg	Code	No.
715	1025	30	5.0	2477025	RT 1504 L



Accessories Tool Trolleys / Workbenches

1500 H 13 ANTI-SLIP MAT

Products sold by the metre

- > For all drawers in GEDORE tool trolleys and workbenches
- > Various areas of application: Workshop, household, car, spare time...
- > Enormous slip resistance on many different surfaces
- > Can be cut to size
- > Resistant to temperatures from -30 °C to +100 °C
- > Melting point approx. +250 °C
- > Flame resistant
- > Resistant to chemicals
- > Shock- and noise absorbing
- > Dimensions: W 475 x L 2000 mm



L m	W		Code	No.
2	475	0.540	5790250	1500 H 13

Drawer Partitions

E-1500 - E-2500 LENGTHWISE DIVIDER

slotted

- > In two different heights
- > In five different lengths for varying drawer depths
- > In zinc-plated sheet steel



H	L	for use with		Code	No.
42	317	1580	0.136	5325840	E-1580/14
60	320	1430	0.190	5326570	E-2500/62
60	395	2005, 1504 XL (type 1), 1506 XL (type 1), 2430	0.235	1886932	E-2005 KL/42
60	397	1502 (1-5), 1504 (1-6), 2004 (type 1)	0.208	5326490	E-1504 KL/57
60	548	B 1500 (1-3), 1505 (1-3)	0.312	5315880	E-B 1500/38

E-2005 CT LENGTHWISE DIVIDER

without slots

- > To fix the modules 2005 CT2

H		Code	No.
40	0.248	2104601	E-2005 CT H-40

E-1580 CROSSWISE DIVIDER

- > Usage: 1580
- > In three different lengths, to fit the lengthwise dividers
- > In zinc-plated sheet steel

E-1580/11-40



L	H		Code	No.
40	40	0.012	1394878	E-1580/11-40
80	40	0.024	5325760	E-1580/11-80
120	40	0.036	5326140	E-1580/11-120

E-3000 CROSSWISE DIVIDER

- > Usage: 1430, B 1500 (1-3), 1502 (1-5), 1504 (1-6), 1504 XL, 1505 (1-3), 1506 XL (type 1), 2004 (type 1), 2005 (type 1), 2430
- > In zinc-plated sheet steel



L	H		Code	No.
80	55	0.035	5326060	E-3000/37-80
120	55	0.050	5326220	E-3000/37-120

Tool Cabinets

1400 L TOOL CABINET

Body:

- > Dimensions: H 970 x W 650 x D 250 mm
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > With storage, three drawers and fixed tool holders, e.g. for set S 1400
- > With loose modules for sockets, ratchets, extensions, etc.

Doors:

- > Central locking with cylinder lock

Drawers:

- > 2 drawers (W 478 x D 210 x H 46 mm)
- > 1 drawer (W 478 x D 210 x H 72 mm)
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Options:

- > Special colours and designs available on request
- > Delivery without tools and accessories



H	W	D		Code	No.
970	650	250	33.0	6612600	1400 L

1401 L TOOL CABINET

Body:

- > Dimensions: H 970 x W 650 x D 250 mm
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Doors and body with Euro perforation 10 x 38 mm to fix hooks
- > With three drawers
- > With loose modules for sockets, ratchets, extensions, etc.

Doors:

- > Central locking with cylinder lock

Drawers:

- > 2 drawers (W 478 x D 210 x H 46 mm)
- > 1 drawer (W 478 x D 210 x H 72 mm)
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Options:

- > Special colours and designs available on request
- > Delivery without tools and accessories



Compilation	H	W	D		Code	No.
Cabinet empty	970	650	250	39.0	5610610	1401 L
Cabinet 1401 L	970	650	250	34.0	6611550	1401 LH
+ hook assortment 1500 HS 11						

Tool Panels

R 1500 L TOOL CABINET

- > Suitable as workbench top

Body:

- > Dimensions: H 890 x W 1810 x D 170 mm
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Rear wall with Euro perforation 10 x 38 mm to fix hooks

Shutter:

- > Central locking with cylinder lock
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Options:


- > Special colours and designs available on request
- > Delivery without tools and accessories



Compilation	H	W	D		Code	No.
Cabinet empty	890	1810	170	78.0	6617910	R 1500 L
Cabinet R 1500 L	890	1810	170	81.2	6619100	R 1500 LH
+ hook assortment 1500 HS 23						

1450 L TOOL PANEL

- > Proposed tool assortment serves as the basic equipment for workshop, garage or hobby
- > Further panels can be added in either direction, with special spacers for wall fitting
- > Made from solid sheet steel 1.5 mm thick, all 4 edges are bevelled
- > Euro perforation 10 x 38 mm
- > Dimensions: L 987 x H 493 mm
- > GEDORE blue powder-coated
- > Tools not supplied



L	H		Code	No.
987	493	5.5	5617110	1450 L



Tool holders / Tool hooks

Suitable for GEDORE tool trolleys and panels with square perforation 10 x 38 mm

1500 H 4 BASE PLATE

- › With M6 thread for universal fixing
- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated



	Code	No.
0.026	1446185	1500 H 4

1500 H 2 - 1500 H 3 SPRING CLAMP

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated



1500 H 2-16

L mm	Ø		Code	No.
31	10-12	0.025	2008351	1500 H 2-10
31	12-16	0.026	5803760	1500 H 2-13
31	16-18	0.027	2008378	1500 H 2-16
44	23-29	0.028	5803840	1500 H 3

1500 H 0 TOOL HOOK

straight mandrel

- › Ø 4 mm especially suitable for GEDORE screwdrivers with hanging hole
- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated



L mm	Ø		Code	No.
50	4	0.028	5803410	1500 H 0-50

1500 H 18 TOOL HOOK

straight mandrel

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without tools



1500 H 18-50

L mm	Ø		Code	No.
50	6	0.034	2008386	1500 H 18-50
100	6	0.046	2008394	1500 H 18-100
150	6	0.056	2008408	1500 H 18-150

1500 H 5 PAPER ROLL HOLDER

- › Suitable for perforated panels with square perforation 10 x 38 mm



L mm	Ø		Code	No.
250	6	0.094	5798660	1500 H 5

1500 H 1 TOOL HOOK

inclined hook end

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated



L mm	Ø		Code	No.
50	4	0.028	5803680	1500 H 1-50

1500 H 29 TOOL HOOK

inclined hook end

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without tools



1500 H 29-50

L mm	Ø		Code	No.
50	6	0.034	2008572	1500 H 29-50
100	6	0.046	2008580	1500 H 29-100

1500 H 30 TOOL HOOK

for sockets

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated



L ₁	L ₂	Ø		Code	No.
15	40	6	0.034	2008599	1500 H 30

1500 H 20 TOOL HOLDER

vertical hook end

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without decoration



1500 H 20-35

L mm	Ø		Code	No.
35	6	0.034	1879162	1500 H 20-35
75	6	0.046	2008440	1500 H 20-75
135	6	0.056	2008459	1500 H 20-135

1500 H 39 TOOL HOLDER

for pliers

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without tools



	Code	No.
0.065	2656582	1500 H 39

1500 H 19 TOOL HOLDER

double, straight mandrel

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without tools



1500 H 19-50

	Code	No.
50	2008416	1500 H 19-50
100	2008424	1500 H 19-100
150	2008432	1500 H 19-150

1500 H 21 TOOL HOLDER

double, vertical hook end

- › For hammers and ratchets
- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without tools



1500 H 21-50

	Code	No.
35	2008475	1500 H 21-35
50	1879170	1500 H 21-50
75	2008483	1500 H 21-75

1500 H 22 TOOL HOLDER

for pliers

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without tools



1500 H 22-55

W	D		Code	No.
35	20	0.062	2008491	1500 H 22-35
55	20	0.066	1879189	1500 H 22-55

1500 H 31 ROUND HOLDER

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without tools



W	L		Code	No.
27	65	0.068	2008602	1500 H 31

1500 H 23 MACHINE HOLDER FOR BATTERY SCREWDRIVER

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Zinc-plated
- › Delivery without tools



1500 H 23-40

Ø		Code	No.
40	0.068	2008513	1500 H 23-40
60	0.060	1879197	1500 H 23-60

1500 H 33 TUBE HOLDER

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Hook width 35 mm
- › Powder-coated
- › Delivery without decoration



1500 H 33-60

W	H	D	Ø		Code	No.
58	67	74	60	0.114	2008629	1500 H 33-60
58	96	114	100	0.156	2008637	1500 H 33-100

1500 H 24 TOOL HOLDER

for screwdrivers

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Powder-coated
- › Delivery without tools



1500 H 24-6

Execution		Code	No.
for 6 pieces	0.100	1879200	1500 H 24-6
for 12 pieces	0.400	2008548	1500 H 24-12

1500 H 34-14 DRILL-BIT HOLDER

for 14 pieces

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › With 14 holes, diam.: 2 ea. 3.0 4.2 6.5 7.5 8.5 16.5 mm, 1 ea. 10.5 12.5 mm
- › Powder-coated
- › Delivery without tools



W	H	D		Code	No.
200	60	37	0.200	2008645	1500 H 34-14



1500 H 27 SOCKET HOLDER

- › With 11 holes
- › Hole diameter 10x 25 mm and 1x 27.5 mm
- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Powder-coated
- › Delivery without tools



W	H	D		Code	No.
352	60	54	0.500	1920634	1500 H 27

1500 H 25-3 TOOL HOLDER

for 3 cans

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Powder-coated
- › Delivery without decoration



W	Ø		Code	No.
300	70	0.600	1879219	1500 H 25-3

1500 H 37 SPANNER HOLDER

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › For 8 spanners, suitable for no. 1 B, 2, 4, 6, 7, 7 R, 7 UR
- › Powder-coated
- › Delivery without tools



W	H	D		Code	No.
124	66	145	0.220	2008696	1500 H 37

1500 H 38 SPANNER HOLDER

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › For 10 spanners, suitable for no. 2, 6
- › Powder-coated
- › Delivery without tools



1500 H 38

W	H	D		Code	No.
75-147	227	60	0.400	1920626	1500 H 38

1500 H 28 SHELF

- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Powder-coated



W	H	D		Code	No.
496	168	303	3.000	1933191	1500 H 28

1500 H 9 TRAY

- › A handy place to keep tools that are needed constantly
- › Suitable for perforated panels with square perforation 10 x 38 mm

1500 H 9-75



W	H	D		Code	No.
456	50	75	0.854	1446924	1500 H 9-75
456	50	100	0.854	5792540	1500 H 9-100

1500 H 10 TRAY

- › With four partitions, for often-needed small parts
- › Suitable for perforated panels with square perforation 10 x 38 mm



W	H	D		Code	No.
456	50	100	0.840	5792620	1500 H 10-100

VS 19 H TOOL TRAY


- › For sockets
- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Dimensions: W 570 x D 25-45 mm
- › In sheet steel, GEDORE blue



W	D		Code	No.
570	25-45	0.550	5152640	VS 19 H

VS 245 H CHISEL HOLDER EMPTY

- › For 6 chisels
- › Suitable for perforated panels with square perforation 10 x 38 mm
- › Dimensions: W 195 x H 95 x D 22 mm
- › In sheet steel, GEDORE blue



W	H	D		Code	No.
195	95	22	0.300	5456270	VS 245 H

VS 1582 STORAGE TRAY

- › Suitable for perforated panels with square perforation 10 x 38 mm



W	H	D		Code	No.
320	100	90	1.118	5150270	VS 1582-3

OVERVIEW CONTENTS HOOK ASSORTMENTS 1500 HS

			No.	1500 HS 11	1500 HS 14	1500 HS 17	1500 HS 23	1500 HS 28	1504 HS	1585 HS	1500 HS-1150	1500 HS-1006	1500 HS-1023	1500 HS-1090
			Code	5799980	5802010	5804060	5804220	2008742	5802440	5801550	2656892	2656884	2656906	2656914
No.	Code	kg	2,680	2,388	3,514	4,958	1,768	1,958	0,654	3,056	19,516	3,269	8,284	
1500 H 0-50	5803410		14	6	15	17		13		3	5	5	11	
1500 H 1-50	5803680		23	20	32	43		13	10	12	39	35	15	
1500 H 2-10	2008351									4		5	6	
1500 H 2-13	5803760		1	6	4	12			5					
1500 H 3	5803840		2	1	2	10			5	1	11	2	2	
1500 H 9-75	1446924										19	2	7	
1500 H 20-35	1879162						4							
1500 H 20-75	2008440						2							
1500 H 20-135	2008459						2							
1500 H 21-35	2008475						6							
1500 H 22-35	2008491						2							
1500 H 23-40	2008513						1							
1500 H 24-6	1879200						1							
1500 H 27	1920634				1									
1500 H 29-50	2008572						3			17	10		3	
1500 H 29-50	2008580						3							
1500 H 30	2008599										30			
1500 H 31	2008602						2							
1500 H 34-14	2008645						1							
1500 H 37	2008696						1						4	
1500 H 38	1920626		1		1	1								
1500 H 39	2656582									2	6	4	6	
VS 245 H	5456270		1	1	2	1		2		6				
VS 19 H	5152640			1	1	1								
H 6-8 B	5079110			1										
H 6-12 B	5079540							1						

H 6
HOLDER

> For double open ended spanner sets no. 6

> Suitable for perforated panels with square perforation 10 x 38 mm



H 6-8 B



H 6-12 B



H 6-8 L



H 6-12 L



E-PH 6-12 L

Description	W	H	D		Code	No.
Sheet metal holder, empty for 8 spanners no. 6	390	140	15	0.372	5079110	H 6-8 B
Sheet metal holder, empty for 12 spanners no. 6	600	170	15	0.655	5079540	H 6-12 B
Plastic holder, empty for 8 spanners no. 6	250	70	57	0.154	5070080	H 6-8 L

Description	W	H	D		Code	No.
Plastic holder, empty for 12 spanners no. 6	325	100	57	0.270	5070160	H 6-12 L
Plastic holder, empty for 8 spanners no. 6				0.018	5073930	E-PH 6-8 L
Plastic holder, empty for 12 spanners no. 6				0.038	5074070	E-PH 6-12 L

GEDORE WORKMO - THE MOBILE ARRANGEMENT-, TRANSPORT- AND WORKING SYSTEM

For maximum flexibility and safety



- > Combines transport, order and work – ergonomically and efficiently
- > Thanks to the modular design quickly disassembled into portable units
- > Multifunctional – with system
- > Ideal for all who need a flexible and mobile workplace
- > Individual modules or directly as a workstation
- > The intelligent way to work mobile and professionally!
- > Light and load secured

Individual

- > WorkMo adapts exactly to the requirements of your individual working day
- > With the foam configurator the tool equipment can be arranged individually

Compatible

- > with the Sortimo® L-BOXX® range
- > with the GEDORE tool modules 1500 ES/1500 CT

Flexible

- > Expandable at any time (with castors, worktop etc.)
- > For further system components see Sortimo®

Sturdy

- > Robust handling – lockable - durable
- > With rounded plastic edges as impact and scratch protection



Light

- > Low weight due to aluminum-plastic mix
- > Ergonomic working heights




Drawer equipment

- > Ideal to equip WorkMo components with GEDORE tools – Be aware of the respective drawer widths:

- > B2 = maximum 2x 1/3 modules oder 1x 2/3 module



- > B3 = maximum 4x 1/3 modules oder 2x 2/3 modules



Not included




1110 WM 221 + 1110 WM 24

CT-MODULES

>105

- > For individual arrangement




NEW

1110 WMW-2 TOOL TROLLEY WORKMO W2

- > Modular tool trolley
- > Consisting of: 1110 WM 24, 1110 WM 221, 1110 WMR 23 and 1110 WMHP 2
- > Mobile as complete unit or portable single units
- > Ideal for transportation from the workshop to changing workplaces
- > 6 drawers fully extendable suited for GEDORE 1500 ES/1500 CT modules
- > For 2x 1/3 modules or 1x 2/3 module
- > One compartment with locking device for GEDORE L-BOXX® 136 no. 1100 L (not included)
- > Light and sturdy aluminum-plastic mix
- > Mobile with roller skids with 4 swivel castors, 2 of them with total brake
- > Wooden worktop for assembly work
- > **Compatible with Sortimo® vehicle equipments and load securing**
- > **Crash testet**
- > Dimensions: W 526 x D 396 x H 1172 mm
- > **Weight advantage** (up to 50 % lighter than comparable solutions!)



optional: 1100 L L-BOXX® 136
(not included)



W	D	H		Code	No.
526	396	1172	42.6	2954435	1110 WMW-2

NEW




1110 WMW-3 TOOL TROLLEY WORKMO W3

- > Modular tool trolley
- > Consisting of: 1110 WM 34, 1110 WM 321, 1110 WMR 23 and 1110 WMHP 3
- > Mobile as complete unit or portable single units
- > Ideal for transportation from the workshop to changing workplaces
- > 6 drawers fully extendable suited for GEDORE 1500 ES/1500 CT modules
- > For 4x 1/3 modules or 2x 2/3 modules
- > One compartment with locking device for GEDORE L-BOXX® 136 no. 1100 L and GEDORE S-BOXX® no. 1110 WMSB 3 (both not included)
- > Light and sturdy aluminum-plastic mix
- > Mobile with roller skids with 4 swivel castors, 2 of them with total brake
- > Wooden worktop for assembly work
- > **Compatible with Sortimo® vehicle equipments and load securing**
- > **Crash testet**
- > Dimensions: W 789 x D 396 x H 1172 mm
- > **Weight advantage** (up to 50 % lighter than comparable solutions!)



optional: 1100 L L-BOXX® 136 / 1110 WMSB 3 S-BOXX®
(not included)



W	D	H		Code	No.
789	396	1172	52.8	2954443	1110 WMW-3

GEDORE WorkMo - System components

1110 WM 24 TOOL BOX MODULE WORKMO W2

NEW

4 drawers H6

- > 4 drawers fully extendable suited for GEDORE 1500 ES/1500 CT modules
- > Light and sturdy aluminum-plastic mix
- > Compatible with Sortimo® vehicle equipments and load securing
- > Crash testet
- > Load capacity per drawer 30 kg
- > Dimensions: W 526 x D 396 x H 506 mm
- > Drawer size inside: W 418 x D 314 x H 89 mm



W	D	H		Code	No.
526	396	506	18.6	2954311	1110 WM 24

1110 WM 221 TOOL BOX MODULE WORKMO W2

NEW

2 drawers H6, compartment for L-BOXX®

- > 2 drawers fully extendable suited for GEDORE 1500 ES/1500 CT modules
- > One compartment with locking device for GEDORE L-BOXX® 136 no. 1100 L (not included)
- > Light and sturdy aluminum-plastic mix
- > Compatible with Sortimo® vehicle equipments and load securing
- > Crash testet
- > Load capacity per drawer 30 kg
- > Dimensions: W 526 x D 396 x H 506 mm
- > Drawer size inside: W 418 x D 314 x H 89 mm



W	D	H		Code	No.
526	396	506	17.2	2954338	1110 WM 221

1110 WM 34 TOOL BOX MODULE WORKMO W3

NEW

4 drawers H6

- > 4 drawers fully extendable suited for GEDORE 1500 ES/1500 CT modules
- > Light and sturdy aluminum-plastic mix
- > Compatible with Sortimo® vehicle equipments and load securing
- > Crash testet
- > Load capacity per drawer 60 kg
- > Dimensions: W 789 x D 396 x H 506 mm
- > Drawer size inside: W 660 x D 314 x H 89 mm



W	D	H		Code	No.
789	396	506	24.1	2954346	1110 WM 34

1110 WM 321 TOOL BOX MODULE WORKMO W3

NEW

2 drawers H6, compartment for L-BOXX® + S-BOXX®

- > 2 drawers fully extendable suited for GEDORE 1500 ES/1500 CT modules
- > One compartment with locking device for GEDORE L-BOXX® 136 no. 1100 L and GEDORE S-BOXX® no. 1110 WMSB 3 (both not included)
- > Light and sturdy aluminum-plastic mix
- > Compatible with Sortimo® vehicle equipments and load securing
- > Crash testet
- > Load capacity per drawer 60 kg
- > Dimensions: W 789 x D 396 x H 506 mm
- > Drawer size inside: W 660 x D 314 x H 89 mm



W	D	H		Code	No.
789	396	506	20.1	2954354	1110 WM 321



1110 WMHP 2 WOOD PLATE

NEW

for WorkMo W2

- › 20 mm thick multiplex beech wood worktop
- › Add to WorkMo boxes W2 to get an additional work surface
- › Dimensions: W 571 x D 426 x H 41 mm



W	D	H		Code	No.
571	426	41	3.8	2954362	1110 WMHP 2

1110 WMHP 3 WOOD PLATE

NEW

for WorkMo W3

- › 20 mm thick multiplex beech wood worktop
- › Add to WorkMo boxes W3 to get an additional work surface
- › Dimensions: W 834 x D 426 x H 41 mm



W	D	H		Code	No.
834	426	41	5.6	2954370	1110 WMHP 3

1110 WMS 23 LOCKING SYSTEM

NEW

for WorkMo W2+W3

- › Protects drawers and BOXX®es against extraction
- › Secures the tools against unauthorised access



	Code	No.
0.920	2954389	1110 WMS 23

1110 WMR 23 ROLLER SKIDS, PAIR

NEW

for WorkMo W2+W3

- › Makes the tool box module mobile
- › 4 swivel castors, 2 with total brake



	Code	No.
3.0	2954397	1110 WMR 23

1110 WMT 23 DIVIDER SET

NEW

for WorkMo drawers W2+W3

- › To divide the drawers
- › 3 lengthwise dividers and mounting brackets



	Code	No.
0.250	2954419	1110 WMT 23

1110 WMSB 3 S-BOXX® W3

NEW

with window

- › Viewing window for a quick visual check of the contents
- › Ideal for the storage of expendables, such as screws etc.
- › Load capacity 12 kg
- › Dimensions: W 147 x D 351 x H 153 mm



W	D	H		Code	No.
147	351	153	0.500	2954427	1110 WMSB 3