

特征

- 100%经PIM测试，测试结果标于电缆上
- 最大频率：6 GHz
- 低无源互调：最大 < -160 dBc
- 相速：76%
- FEP护套
- UL910阻燃级电缆
- 轻质、超高柔性
- 低损耗、优异电压驻波比性能
- IP67（配接时）
- 屏蔽有效性 > 100 dB
- 可选连接器：4.3-10、SMA、QMA、7/16 DIN、4.1/9.5、N型

应用

- 低无源互调(PIM)用途
- 分布式天线系统(DAS)
- 阻燃安装
- 多载波通信系统
- PIM测试



低无源互调(PIM)电缆组件

Pasternack低无源互调(PIM)电缆组件允许选配以下多种连接器：4.3-10、SMA、QMA、7/16 DIN、4.1/9.5以及N型。这些电缆组件的低PIM性能可支持分布式天线系统（DAS）以及其他复杂的多载波电缆安装应用。所有此类低无源互调(PIM)组件均100%经PIM测试，且测试结果标于电缆之上。

无论您寻找的是低无源互调(PIM)跳线连接，或低无源互调(PIM)测试电缆，还是仅仅在于构建定制组件，Pasternack都能为您提供完全契合您需求的产品。Pasternack拥有一整条支持当天发货的射频元器件现货产品线，低无源互调(PIM)组件即属于其中一部分。我们将持续在低无源互调(PIM)产品系列中添加新的电缆和连接器型号。您可访问www.pasternack.cn，在线查看新增产品，也可加入我们的邮件列表，接收最新行业动态和产品信息。

4.3-10 DIN低无源互调(PIM)电缆组件系列

Part Number	Cable Type	Velocity of Propagation (%)	Connector 1 Series, Gender, Style	Connector 2 Series, Gender, Style	Freq. Max. (MHz)	Passive Intermodulation (dBc)
PE3C4135	SPP-250-LLPL	76	4.3-10, Male, Straight	7/16 DIN, Male, Straight	6000	-160
PE3C4142	SPP-250-LLPL	76	4.3-10, Male, Straight	4.3-10, Male, Straight	5800	-160
PE3C4146	SPP-250-LLPL	76	4.3-10, Male, RA	4.3-10, Male, RA	6000	-160
PE3C4147	SPP-250-LLPL	76	4.3-10, Male, RA	4.3-10, Male, Straight	6000	-160
PE3C5833	SPP-250-LLPL	76	4.3-10, Male, Straight	4.3-10, Female, Straight	5800	-160
PE3C5836	SPP-250-LLPL	76	4.3-10, Female, Straight	7/16 DIN, Male, Straight	5800	-160
PE3C5837	SPP-250-LLPL	76	4.3-10, Female, Straight	N, Male, Straight	5800	-160
PE3C5838	SPP-250-LLPL	76	4.3-10, Female, Straight	QMA, Male, Straight	5800	-150
PE3C5839	SPP-250-LLPL	76	4.3-10, Female, Straight	SMA, Male, Straight	5800	-155
PE3C5853	SPP-250-LLPL	76	4.3-10, Male, Straight	7/16 DIN, Female, Straight	5800	-160
PE3C5859	SPP-250-LLPL	76	4.3-10, Male, Straight	QMA, Female, Straight	5800	-150
PE3C5865	SPP-250-LLPL	76	4.3-10, Male, Straight	QMA, Male, Straight	5800	-150
PE3C5871	SPP-250-LLPL	76	4.3-10, Male, Straight	QMA, Male, RA	5800	-145
PE3C5878	SPP-250-LLPL	76	4.3-10, Male, Straight	SMA, Female, Straight	5800	-155
PE3C5884	SPP-250-LLPL	76	4.3-10, Male, Straight	SMA, Male, Straight	5800	-155
PE3C5889	SPP-250-LLPL	76	4.3-10, Male, Straight	SMA, Male, RA	5800	-155

一件起发，当天发货！

©2019 Infinite Electronics, Inc.

Pasternack is a registered trademark of Infinite Electronics, Inc.

QMA低无源互调(PIM)电缆组件系列

Part Number	Cable Type	Velocity of Propagation (%)	Connector 1 Series, Gender, Style	Connector 2 Series, Gender, Style	Freq. Max. (MHz)	Passive Intermodulation (dBc)
PE3C5863	SPP-250-LLPL	76	QMA, Male, Straight	QMA, Female, Straight	5800	-150
PE3C5864	SPP-250-LLPL	76	QMA, Female, Straight	SMA, Male, Straight	5800	-150
PE3C5869	SPP-250-LLPL	76	QMA, Male, Straight	QMA, Male, Straight	5800	-150
PE3C5870	SPP-250-LLPL	76	QMA, Male, Straight	SMA, Male, Straight	5800	-150
PE3C5875	SPP-250-LLPL	76	QMA, Male, Straight	QMA, Male, RA	5800	-145
PE3C5876	SPP-250-LLPL	76	QMA, Male, RA	SMA, Male, Straight	5800	-145
PE3C5877	SPP-250-LLPL	76	QMA, Male, RA	QMA, Male, RA	5800	-145
PE3C5882	SPP-250-LLPL	76	QMA, Male, Straight	SMA, Female, Straight	5800	-150
PE3C5893	SPP-250-LLPL	76	QMA, Male, Straight	SMA, Male, RA	5800	-150

7/16 DIN低无源互调(PIM)电缆组件系列

Part Number	Cable Type	Velocity of Propagation (%)	Connector 1 Series, Gender, Style	Connector 2 Series, Gender, Style	Freq. Max. (MHz)	Passive Intermodulation (dBc)
PE3C4130	SPP-250-LLPL	76	7/16 DIN, Male, Straight	7/16 DIN, Male, Straight	6000	-160
PE3C4131	SPP-250-LLPL	76	7/16 DIN, Male, RA	7/16 DIN, Male, Straight	6000	-160
PE3C4144	SPP-250-LLPL	76	7/16 DIN, Male, RA	7/16 DIN, Male, RA	6000	-160
PE3C5855	SPP-250-LLPL	76	7/16 DIN, Male, Straight	7/16 DIN, Female, Straight	5800	-160
PE3C5856	SPP-250-LLPL	76	7/16 DIN, Female, Straight	N, Male, Straight	5800	-160
PE3C5857	SPP-250-LLPL	76	7/16 DIN, Female, Straight	QMA, Male, Straight	5800	-150
PE3C5858	SPP-250-LLPL	76	7/16 DIN, Female, Straight	SMA, Male, Straight	5800	-155
PE3C5861	SPP-250-LLPL	76	7/16 DIN, Male, Straight	QMA, Female, Straight	5800	-150
PE3C5867	SPP-250-LLPL	76	7/16 DIN, Male, Straight	QMA, Male, Straight	5800	-150
PE3C5873	SPP-250-LLPL	76	7/16 DIN, Male, Straight	QMA, Male, RA	5800	-145
PE3C5880	SPP-250-LLPL	76	7/16 DIN, Male, Straight	SMA, Female, Straight	5800	-155
PE3C5886	SPP-250-LLPL	76	7/16 DIN, Male, Straight	SMA, Male, Straight	5800	-155
PE3C5891	SPP-250-LLPL	76	7/16 DIN, Male, Straight	SMA, Male, RA	5800	-155
PE3C2003	PE-SR402FLJ Low PIM	70	7/16 DIN, Male, Straight	7/16 DIN, Male, Straight	3000	-160
PE3C2004	PE-SR402FLJ Low PIM	70	7/16 DIN, Male, Straight	7/16 DIN, Female, Straight	3000	-160
PE3C2013	PE-SR401FLJ Low PIM	70	7/16 DIN, Male, Straight	7/16 DIN, Male, Straight	3000	-160
PE3C2015	PE-SR401FLJ Low PIM	70	7/16 DIN, Male, Straight	7/16 DIN, Female, Straight	3000	-160

一件起发，当天发货！

©2019 Infinite Electronics, Inc.

Pasternack is a registered trademark of Infinite Electronics, Inc.

SMA低无源互调(PIM)电缆组件系列

Part Number	Cable Type	Velocity of Propagation (%)	Connector 1 Series, Gender, Style	Connector 2 Series, Gender, Style	Freq. Max. (MHz)	Passive Intermodulation (dBc)
PE3C5883	SPP-250-LLPL	76	SMA, Male, Straight	SMA, Female, Straight	5800	-155
PE3C5888	SPP-250-LLPL	76	SMA, Male, Straight	SMA, Male, Straight	5800	-155
PE3C5894	SPP-250-LLPL	76	SMA, Male, Straight	SMA, Male, RA	5800	-155
PE3C5895	SPP-250-LLPL	76	SMA, Male, RA	SMA, Male, RA	5800	-155
PE3C2007	PE-SR402FLJ Low PIM	70	SMA, Male, Straight	7/16 DIN, Male, Straight	3000	-150
PE3C2008	PE-SR402FLJ Low PIM	70	SMA, Male, Straight	SMA, Male, Straight	6000	-150

4.1/9.5 Mini DIN低无源互调(PIM)电缆组件系列

Part Number	Cable Type	Velocity of Propagation (%)	Connector 1 Series, Gender, Style	Connector 2 Series, Gender, Style	Freq. Max. (MHz)	Passive Intermodulation (dBc)
PE3C4134	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	7/16 DIN, Male, Straight	5800	-160
PE3C4143	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	4.1/9.5 Mini DIN, Male, Straight	5800	-160
PE3C5834	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	4.3-10, Female, Straight	5800	-160
PE3C5840	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Female, Straight	4.3-10, Male, Straight	5800	-160
PE3C5841	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	4.1/9.5 Mini DIN, Female, Straight	5800	-160
PE3C5842	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Female, Straight	7/16 DIN, Male, Straight	5800	-160
PE3C5843	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Female, Straight	N, Male, Straight	5800	-160
PE3C5844	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Female, Straight	QMA, Male, Straight	5800	-150
PE3C5845	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Female, Straight	SMA, Male, Straight	5800	-155
PE3C5846	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, RA	4.3-10, Male, Straight	5800	-160
PE3C5847	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	4.1/9.5 Mini DIN, Male, RA	5800	-160
PE3C5848	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, RA	7/16 DIN, Male, Straight	5800	-160
PE3C5849	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, RA	N, Male, Straight	5800	-160
PE3C5850	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, RA	QMA, Male, Straight	5800	-150
PE3C5851	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, RA	SMA, Male, Straight	5800	-155
PE3C5852	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, RA	4.1/9.5 Mini DIN, Male, RA	5800	-160
PE3C5854	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	7/16 DIN, Female, Straight	5800	-160
PE3C5860	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	QMA, Female, Straight	5800	-150
PE3C5866	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	QMA, Male, Straight	5800	-150
PE3C5872	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	QMA, Male, RA	5800	-145
PE3C5879	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	SMA, Female, Straight	5800	-155
PE3C5885	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	SMA, Male, Straight	5800	-155
PE3C5890	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	SMA, Male, RA	5800	-155
PE3C5950	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, RA	4.3-10, Female, Straight	5800	-160
PE3W07481	SPP-250-LLPL	76	4.1/9.5 Mini DIN, Male, Straight	N, Female, Straight	5800	-160
PE3C2009	PE-SR402FLJ Low PIM	70	4.1/9.5 Mini DIN, Male, Straight	4.1/9.5 Mini DIN, Male, Straight	3000	-160
PE3C2010	PE-SR402FLJ Low PIM	70	4.1/9.5 Mini DIN, Male, Straight	4.1/9.5 Mini DIN, Female, Straight	3000	-160

一件起发，当天发货！

©2019 Infinite Electronics, Inc.

Pasternack is a registered trademark of Infinite Electronics, Inc.

N型低无源互调(PIM)电缆组件

Part Number	Cable Type	Velocity of Propagation (%)	Connector 1 Series, Gender, Style	Connector 2 Series, Gender, Style	Freq. Max. (MHz)	Passive Intermodulation (dBc)
PE3C4132	SPP-250-LLPL	76	N, Male, Straight	7/16 DIN, Male, Straight	6000	-160
PE3C4133	SPP-250-LLPL	76	N, Female, Straight	7/16 DIN, Male, Straight	6000	-160
PE3C4136	SPP-250-LLPL	76	N, Male, Straight	7/16 DIN, Male, RA	6000	-160
PE3C4137	SPP-250-LLPL	76	N, Male, Straight	N, Male, Straight	6000	-160
PE3C4138	SPP-250-LLPL	76	N, Female, Straight	N, Male, Straight	5800	-160
PE3C4139	SPP-250-LLPL	76	N, Male, RA	N, Male, Straight	6000	-160
PE3C4140	SPP-250-LLPL	76	N, Male, Straight	4.1/9.5 Mini DIN, Male, Straight	6000	-160
PE3C4141	SPP-250-LLPL	76	N, Male, Straight	4.3-10, Male, Straight	6000	-160
PE3C4145	SPP-250-LLPL	76	N, Male, RA	N, Male, RA	5800	-160
PE3C5862	SPP-250-LLPL	76	N, Male, Straight	QMA, Female, Straight	5800	-150
PE3C5868	SPP-250-LLPL	76	N, Male, Straight	QMA, Male, Straight	5800	-150
PE3C5874	SPP-250-LLPL	76	N, Male, Straight	QMA, Male, RA	5800	-145
PE3C5881	SPP-250-LLPL	76	N, Male, Straight	SMA, Female, Straight	5800	-160
PE3C5887	SPP-250-LLPL	76	N, Male, Straight	SMA, Male, Straight	5800	-155
PE3C5892	SPP-250-LLPL	76	N, Male, Straight	SMA, Male, RA	5800	-155
PE3W07489	SPP-250-LLPL	76	N, Female, Straight	N, Female, Straight	5800	-160
PE3C2000	PE-SR402FLJ Low PIM	70	N, Male, Straight	N, Male, Straight	6000	-160
PE3C2001	PE-SR402FLJ Low PIM	70	N, Male, Straight	N, Female, Straight	6000	-160
PE3C2002	PE-SR402FLJ Low PIM	70	N, Male, Straight	7/16 DIN, Male, Straight	3000	-160
PE3C2005	PE-SR402FLJ Low PIM	70	N, Male, Straight	7/16 DIN, Female, Straight	3000	-160
PE3C2006	PE-SR402FLJ Low PIM	70	N, Male, Straight	SMA, Male, Straight	6000	-150
PE3C2011	PE-SR401FLJ Low PIM	70	N, Male, Straight	N, Male, Straight	3000	-160
PE3C2012	PE-SR401FLJ Low PIM	70	N, Male, Straight	7/16 DIN, Male, Straight	3000	-160
PE3C2014	PE-SR401FLJ Low PIM	70	N, Male, Straight	7/16 DIN, Female, Straight	3000	-160

一件起发, 当天发货!

©2019 Infinite Electronics, Inc.

Pasternack is a registered trademark of Infinite Electronics, Inc.